






Instructions for use
EURneffy®
nasal spray, solution in
single-dose container
adrenaline

Instructions for use EURneffy® nasal spray, solution in single-dose container adrenaline	B  Hold the nasal spray as shown. Hold the nasal spray with your thumb on the bottom of the plunger and one finger on either side of the nozzle. • Do not pull or push on the plunger. • Do not test or pre-spray; each nasal spray has only one dose.	➕ Seek emergency medical assistance Seek emergency medical assistance immediately to have close monitoring of the anaphylactic episode and in the event further treatment is required.
Before you need to use it, fully familiarise yourself with EURneffy, including when and how it should be used. EURneffy nasal spray  Nozzle/Tip Plunger	C  Insert the tip of nasal spray into a nostril until your fingers touch your nose. Keep the nozzle straight into the nose pointed toward your forehead. Do not angle the nasal spray to the inner or outer walls of the nose.	🔄 Monitor patient symptoms  If symptoms continue to worsen or reoccur after approximately 10 minutes, or if any dosing error, give a second dose using a new EURneffy nasal spray in the SAME nostril as the first dose and seek urgent emergency medical assistance. If necessary, you can lie down with feet raised. If this makes you breathless, you should sit up. Unconscious patients should be placed on their side in the recovery position. If symptoms do not resolve, you should, if possible, remain with another person until medical assistance arrives.
Follow these instructions only when ready to use	D  Press the plunger up firmly until it snaps up and sprays into the nostril.	
A  Remove EURneffy nasal spray from the packaging. Pull open the packaging to remove the EURneffy nasal spray.	 Do not angle the nasal spray to the inner or outer walls of the nose.	

ALK ALK-Abelló A/S
Bøge Allé 6-8
2970 Hørsholm, Denmark